



88703-06240 AC Toyota Air Conditioner Hose Camry 2.0L 2.4L Discharge Pipe 06-11

Our Product Introduction

for more products please visit us on futureacparts.com

Basic Information

- Place of Origin: China
- Brand Name: Freedom Future
- Model Number: 92490-0016R
- Minimum Order Quantity: Negotiable
- Price: Negotiable
- Packaging Details: standard packing, as customer demands
- Delivery Time: 7 - 15 working Days
- Payment Terms: L/C,T/T,etc.



Product Specification

- Pressure Rating: Up To 300 Psi
- Color: Silver And Black
- Temperature Range: -40°C To 140°C
- Weight: Lightweight
- Oem Part Number: 88703-06240
- Flexibility: Flexible
- Material: Aluminum
- Resistance: Corrosion Resistant
- Installation: Easy
- Durability: High
- Highlight: 88703-06240 Toyota AC Hose,
2.4L Toyota AC Hose, 2.0L Toyota AC Hose



Product Description

88703-06240 AC Toyota Air Conditioner Discharge Hose Camry 2.0L 2.4L 06-11

Product Description:

Automobile air conditioning hoses usually adopt a multi-layer structure. For example, a five-layer automobile air conditioning hose has an inner rubber layer, a nylon shielding layer, a middle rubber layer, a polyester fiber reinforcement layer, and an outer rubber layer from the inside to the outside. This structural design can prevent seepage layer by layer and effectively reduce the permeability of the refrigerant.


Automobile air conditioning pipes can work stably for a long time in the temperature range of -40 to 140 , meeting the requirements of refrigerant circulation heat exchange.

The material of automobile air conditioning pipes can withstand the chemical action of refrigerants and compressor oils and has good chemical corrosion resistance.



C 型空调软管 Type C Air Conditioner Hose

适合制冷剂 / Applicable refrigerant
R134a, HFO-1234yf



C 型空调软管尺寸及性能参数

Sizes and performance parameters of type C air conditioner hose

公称直径 Dimension	英寸 Inch	内径 I.D.	外径 O.D.	壁厚 Wall Thickness	壁厚差 Wall D/T	工作压力 Work Pressure	爆破值 Burst Pressure	弯曲半径 Bend Rad	渗透量 Permeability
8.2	5/16"	8.2±0.4	15.2±0.4	3.5	≤0.4	3.5	≥22	75	1.6
10.5	13/32"	10.5±0.4	17.4±0.4	3.5	≤0.4	3.5	≥23	75	1.6
11.2	7/16"	11.2±0.4	18.5±0.4	3.8	≤0.4	3.5	≥23	75	1.6
13.2	1/2"	13.2±0.4	20.8±0.4	3.8	≤0.4	3.5	≥22	85	1.6
15.2	5/8"	15.2±0.4	22.8±0.4	3.8	≤0.4	3.5	≥22	85	1.6
16.0	5/8"	16.0±0.4	23.1±0.5	4.8	≤0.4	3.5	≥22	105	1.6
19.0	3/4"	19.0±0.5	28.5±0.5	5.0	≤0.4	3.5	≥22	110	1.6
22.0	7/8"	22.0±0.5	31.5±0.5	4.8	≤0.4	3.5	≥22	110	1.6
25.0	1"	25±0.5	35.0±0.5	5.0	≤0.4	3.5	≥22	110	1.6

Features:

Product Name: A/C Pipes

Temperature Range: -40-140 Degrees Fahrenheit

Color: Silver and Black

Connection Type: Withhold

Material: Aluminum

Application: Air Conditioning Systems

Keywords: Refrigerant Lines, Ventilation Duct Hosing, AC AIR CONDITIONING PIPE HOSE

Technical Parameters:

Shape	Bar
Temperature Range	-40-140 Degrees Fahrenheit
Connection Type	Withhold
Durability	Durable
Pressure Rating	200 Psi
Corrosion Resistance	High
Compatibility	Compatible With Most A/C Systems

Color	Silver/Black
Weight	1.5 Lbs
Flexibility	Flexible

Application:

Automobile air conditioning pipes are used to transport refrigerants to achieve cooling and heating of the air inside the car, providing a comfortable environment for passengers.

The air conditioning system regulates the temperature inside the car by absorbing and releasing heat through the circulation of refrigerant in the pipes.

Suitable for commercial vehicles, passenger cars, off-road vehicles.



Company Profile:

Our company is committed to providing automotive air-conditioning solutions. Automotive cooling nets, automotive expansion valves, and automotive air-conditioning pipes are our company's core products. We believe that cooperating with us can provide you with professional solutions.





Contact us anytime

+8617665683341

freedomfuture38@gmail.com

- Excellent teamwork
- Efficient and stable logistics
- Full peace of mind throughout the process
- Trustworthy



Ziyou Innovation Trading Co., Ltd.



freedomfuture38@gmail.com



futureacparts.com

Hongyun Auto Parts City, Baiyun District, Guangzhou City, Guangdong Province, China