

# 6477D5 Discharge Aluminum Air Conditioning Tube Peugeot 308 1.6L Fit For

## **Basic Information**

. Place of Origin: China

. Brand Name: Freedom Future

100408 Model Number: Minimum Order Quantity: Negotiable • Price: Negotiable

Packaging Details: standard packing, as customer demands

. Delivery Time: 7 - 15 working Days

• Payment Terms: L/C,T/T,etc.



## **Product Specification**

. Pressure Rating: Up To 300 Psi · Color: Silver/Black -40°C To 140°C • Temperature Range: Weight: Lightweight 6477.D5 Oem Part Number: • Flexibility: Flexible Aluminum/Iron Material: Resistance: Corrosion Resistant

• Highlight: 6477D5 Discharge Aluminum Air Conditioning

Tube

1.6L Discharge Aluminum Air Conditioning



### **Product Description**

Aluminum Air Conditioning Tube 6477.D5 Peugeot 308 1.6L Fit For 2008

## **Product Description:**

Automobile air conditioning hoses usually adopt a multi-layer structure. For example, a five-layer automobile air conditioning hose has an inner rubber layer, a nylon shielding layer, a middle rubber layer, a polyester fiber reinforcement layer, and an outer rubber layer from the inside to the outside. This structural design can prevent seepage layer by layer and effectively reduce the permeability of the refrigerant.



## C 型空调软管 Type C Air Conditioner Hose

适合制冷剂 / Appliable refrigerant R134a,HFO-1234yf



## C型空调软管尺寸及性能参数

Sizes and performance parameters of type Cair conditioner hose

公称直径 Dimension	英寸 Inch	<b>内径</b> I.D.	<b>外径</b> o.b.	壁厚 Wall Thickness.	壁厚差 Wall Diff	工作压力 Work Pressure	爆破值 Burst Pressure	弯曲半径 Bend Rad	渗透量 Permeability
8.2	5/16"	8.2+0.4	15.2±0.4	3.5	≤0.4	3.5	≥22	75	1.6
10.5	13/32"	10.5+0.4	17.4±0.4	3.5	≤0.4	3.5	≥23	75	1.6
11.2	7/16"	11.2+0.4	18.5±0.4	3.8	≪0.4	3.5	≥23	75	1.6
13.2	1/2"	13.2+0.4	20.8±0.4	3.8	≤0.4	3.5	≥22	85	1.6
15.2	5/8"	15.2+0.4	22.8±0.4	3.8	≪0.4	3.5	≥22	85	1.6
16.0	5/8"	16.0+0.4	23.1±0.5	4.8	≤0.4	3.5	≥22	105	1.6
19.0	3/4"	19.0+0.5	28.5±0.5	5.0	≤0.4	3.5	≥22	110	1.6
22.0	7/8"	22.0+0.5	31.5±0.5	4.8	≤0.4	3.5	≥22	110	1.6
25.0	1"	25+0.5	35.0±0.5	5.0	≤0.4	3.5	≥22	110	1.6

## Features:

Product Name: A/C Pipes

Temperature Range: -40-140 Degrees Fahrenheit

Color: Silver/Black

Connection Type: Withhold Material: Aluminum and Rubber Application: Air Conditioning Systems

Keywords: Refrigerant Lines, Ventilation Duct Hosing, A/C AIR CONDITIONING PIPE HOSE

#### **System Integration:**

Automobile air conditioning pipes are an important part of the air conditioning system, connecting the compressor, condenser, liquid receiver dryer, expansion valve, evaporator and other components to form a closed refrigeration cycle system.

Our air conditioning pipes need to consider the fixation to the car body, vibration absorption and heat insulation measures to ensure the stability of the system and a long enough service life.



## **Support and Services:**

Our A/C Pipes product technical support team is available to assist you with any questions you may have regarding the installation, maintenance, and troubleshooting of our product.
We also offer a variety of services to help ensure the optimal performance of your A/C Pipes, including:

Installation support and guidance

Maintenance and repair services

Product testing and analysis

Customization and design services

Our team of experienced professionals is dedicated to providing you with the highest level of customer service and support. Contact us today to learn more about our technical support and services for A/C Pipes.







freedomfuture38@gmail.com



futureacparts.com

Hongyun Auto Parts City, Baiyun District, Guangzhou City, Guangdong Province, China