



## Air Conditioning Suction BMW Pipeline 64509181823 Fit For 5 serie E60 2.5L 2009-2010

Our Product Introduction

for more products please visit us on [futureacparts.com](http://futureacparts.com)

### Basic Information

- Place of Origin: China
- Brand Name: Freedom Future
- Model Number: B7005-6
- Minimum Order Quantity: Negotiable
- Price: Negotiable
- Packaging Details: standard packing, as customer demands
- Delivery Time: 7 - 15 working Days
- Payment Terms: L/C,T/T,etc.



### Product Specification

- Pressure Rating: 300 Psi
- Color: Silver
- Temperature Range: -40°C To 140°C
- Weight: Lightweight
- Oem Part Number: 64509181823
- Flexibility: Flexible
- Material: Aluminum
- Resistance: Corrosion Resistant
- Highlight: **BMW AC suction pipe E60,  
BMW 5 series AC pipeline,  
BMW E60 2.5L AC pipe**



Product Description

BMW Air Conditioning Suction Pipeline 64509181823

Premium replacement AC suction pipeline designed specifically for BMW 5 Series E60 2.5L models from 2009-2010. Engineered to meet or exceed OEM specifications for reliable performance and durability.


Advanced Multi-Layer Construction

Our automotive air conditioning hoses feature an engineered multi-layer construction designed for superior performance in demanding automotive applications:

- Inner & Middle Rubber Layers:** Chloroprene rubber (CR) provides excellent anti-permeation performance with low refrigerant permeability and resistance to compressor oils
- Nylon Shielding Layer:** Nylon 6 material offers exceptional toughness, shock resistance and heat resistance while reducing refrigerant penetration
- Polyester Fiber Reinforcement:** Delivers high strength to withstand working pressure while maintaining pipeline integrity
- Protective Cover:** Chlorobutyl rubber (IIR) or EPDM provides superior weather resistance, heat resistance and vibration damping

C 型空调软管  
Type C Air Conditioner Hose

适合制冷剂 / Applicable refrigerant  
R134a, HFO-1234yf



C 型空调软管尺寸及性能参数  
Sizes and performance parameters of type C air conditioner hose

公称直径 Dimension	英寸 Inch	内径 I.D.	外径 O.D.	壁厚 Wall Thickness	壁厚差 Wall Diff	工作压力 Work Pressure	爆破值 Burst Pressure	弯曲半径 Bend Rad	渗透量 Permeability
8.2	5/16"	8.2±0.4	15.2±0.4	3.5	≤0.4	3.5	≥22	75	1.6
10.5	13/32"	10.5±0.4	17.4±0.4	3.5	≤0.4	3.5	≥23	75	1.6
11.2	7/16"	11.2±0.4	18.5±0.4	3.8	≤0.4	3.5	≥23	75	1.6
13.2	1/2"	13.2±0.4	20.8±0.4	3.8	≤0.4	3.5	≥22	85	1.6
15.2	5/8"	15.2±0.4	22.8±0.4	3.8	≤0.4	3.5	≥22	85	1.6
16.0	5/8"	16.0±0.4	23.1±0.5	4.8	≤0.4	3.5	≥22	105	1.6
19.0	3/4"	19.0±0.5	28.5±0.5	5.0	≤0.4	3.5	≥22	110	1.6
22.0	7/8"	22.0±0.5	31.5±0.5	4.8	≤0.4	3.5	≥22	110	1.6
25.0	1"	25±0.5	35.0±0.5	5.0	≤0.4	3.5	≥22	110	1.6

Technical Specifications

Temperature Range	-40°C to 140°C (-40°F to 284°F)
Construction Material	Corrosion-resistant aluminum
Design Features	Lightweight yet durable construction
Installation	Easy installation process
Pressure Rating	High pressure (300 psi)



## Applications



- Automotive air conditioning systems
- Refrigerant line replacement
- AC system repairs and maintenance





## COMPANY PROFILE


WE SPECIALISE IN THE A/C HOSES FOR 20 YEARS,

WE ARE GOOD AT MANUFACTURING VARIOUS A/C JOINTS AND A/C PIPES ACCORDING TO DRAWINGS AND PHYSICAL SAMPLES.



120+  WORKER

80+  MACHINE

7000M<sup>3</sup>  FACTORY

## Technical Support & Services

Our expert technical support team provides comprehensive assistance for all your AC system requirements:

- Installation guidance and support
- Maintenance and repair services
- Product testing and analysis
- Customization options

Contact our expert technical team for any questions regarding installation, maintenance, or troubleshooting of your AC hose system.



Ziyou Innovation Trading Co., Ltd.



[freedomfuture38@gmail.com](mailto:freedomfuture38@gmail.com)



[futureacparts.com](http://futureacparts.com)

Hongyun Auto Parts City, Baiyun District, Guangzhou City, Guangdong Province, China