



80311-T7W-A01 Multi-layer Reinforced A/C Discharge Hose for 2016-2018 1.8L Honda HR-V

Our Product Introduction

for more products please visit us on futureacparts.com

Basic Information

- Place of Origin: China
- Brand Name: Freedom Future
- Model Number: 100739
- Minimum Order Quantity: Negotiable
- Price: Negotiable
- Packaging Details: standard packing, as customer demands
- Delivery Time: 7 - 15 working Days
- Payment Terms: L/C,T/T,etc.



Product Specification

- Pressure Rating: 300 Psi
- Temperature Range: -40°C To 140°C
- Material: Aluminum
- OEM Part Number: 80311-T7W-A01
- Construction Layers: Multi-layer Reinforced
- Resistance: Corrosion Resistant



Product Description

Low-pressure A/C Pipeline 80311-T7W-A01 Fit For 2016-2018 1.8L Honda HR-V

80311-T7W-A01 Discharge hose for 2016-2018 1.8 Honda HR-V


High-Performance A/C Hoses for Global Aftermarket & OEM Supply

Automotive air conditioning hoses play a critical role in transferring refrigerant within the vehicle air conditioning system. They connect key components such as the compressor, condenser, evaporator, and expansion valve to ensure efficient cooling performance.

Our automotive A/C hoses are manufactured using advanced multi-layer barrier technology, offering excellent resistance to high pressure, high temperature, and refrigerant permeation. Designed for durability and reliability, they are widely used in passenger vehicles, SUVs, light trucks, and commercial vehicles worldwide.

C 型空调软管 Type C Air Conditioner Hose

适合制冷剂 / Applicable refrigerant
R134a, HFO-1234yf



C 型空调软管尺寸及性能参数

Sizes and performance parameters of type C air conditioner hose

公称直径 Dimension	英寸 Inch	内径 I.D.	外径 O.D.	壁厚 Wall Thickness	壁厚差 Wall Diff	工作压力 Work Pressure	爆破值 Burst Pressure	弯曲半径 Bend Rad	渗透量 Permeability
8.2	5/16"	8.2+0.4	15.2±0.4	3.5	≤0.4	3.5	≥22	75	1.6
10.5	13/32"	10.5+0.4	17.4±0.4	3.5	≤0.4	3.5	≥23	75	1.6
11.2	7/16"	11.2+0.4	18.5±0.4	3.8	≤0.4	3.5	≥23	75	1.6
13.2	1/2"	13.2+0.4	20.8±0.4	3.8	≤0.4	3.5	≥22	85	1.6
15.2	5/8"	15.2+0.4	22.8±0.4	3.8	≤0.4	3.5	≥22	85	1.6
16.0	5/8"	16.0+0.4	23.1±0.5	4.8	≤0.4	3.5	≥22	105	1.6
19.0	3/4"	19.0+0.5	28.5±0.5	5.0	≤0.4	3.5	≥22	110	1.6
22.0	7/8"	22.0+0.5	31.5±0.5	4.8	≤0.4	3.5	≥22	110	1.6
25.0	1"	25+0.5	35.0±0.5	5.0	≤0.4	3.5	≥22	110	1.6

Superior Flexibility

The flexible rubber structure allows the hose to be easily installed in complex engine layouts.

Advantages:

- Easy installation
- Reduced vibration stress
- Lower risk of fatigue cracking



GOOD YEAR RUBBER

GOOD YEAR R134a A/C HOSE	GOOD YEAR R134a A/C HOSE
GOOD YEAR R134a A/C HOSE	GOOD YEAR R134a A/C HOSE
GOOD YEAR R134a A/C HOSE	GOOD YEAR R134a A/C HOSE
GOOD YEAR R134a A/C HOSE	GOOD YEAR R134a A/C HOSE

CODAN LINGYUN RUBBER

CODAN-LINGYUN A/C SAE J2004-R134a-218-103-LP	CODAN-LINGYUN A/C SAE J2004-R134a-218-103-LP
CODAN-LINGYUN A/C SAE J2004-R134a-218-103-LP	CODAN-LINGYUN A/C SAE J2004-R134a-218-103-LP
CODAN-LINGYUN A/C SAE J2004-R134a-218-103-LP	CODAN-LINGYUN A/C SAE J2004-R134a-218-103-LP
CODAN-LINGYUN A/C SAE J2004-R134a-218-103-LP	CODAN-LINGYUN A/C SAE J2004-R134a-218-103-LP



Quality Control

To ensure consistent product quality and reliability, every hose undergoes strict testing procedures:

- Pressure resistance testing
- Material inspection
- Dimensional accuracy inspection
- 100% leak testing

Our manufacturing process follows international automotive quality standards to ensure reliable performance for global customers.

EXHIBITION PARTICIPATION (FACTORY)



Why Choose Us


- ✓ Extensive experience in automotive A/C components
- ✓ OEM-quality manufacturing standards
- ✓ Wide product coverage for global vehicles
- ✓ Stable supply for distributors and wholesalers
- ✓ Professional export service and technical support



Ziyou Innovation Trading Co., Ltd.

 +8617665683341

 freedomfuture38@gmail.com

 futureacparts.com

Hongyun Auto Parts City, Baiyun District, Guangzhou City, Guangdong Province, China