


Volkswagen Discharge Air Conditioning Pipeline 1K0820741AN Fit For 2005-2010 Golf Jetta 2.0L

Our Product Introduction

for more products please visit us on futureacparts.com

Basic Information

- Place of Origin: China
- Brand Name: Freedom Future
- Model Number: 100405
- Minimum Order Quantity: Negotiable
- Price: Negotiable
- Packaging Details: standard packing, as customer demands
- Delivery Time: 7 - 15 working Days
- Payment Terms: L/C,T/T,etc.



Product Specification

- Pressure Rating: 300 Psi
- Temperature Range: -40°C To 140°C
- Material: Aluminum
- OEM Part Number: 1K0820741AN
- Construction Layers: Multi-layer Reinforced
- Type: High Pressure&Low Pressure
- Highlight: Volkswagen AC discharge pipe 1K0820741AN,
Golf Jetta AC pipeline 2005-2010,
Volkswagen 2.0L AC discharge tube



1K0820741AN Discharge Air Conditioning Pipeline for VW Golf Jetta

Excellent Temperature Resistance

Automotive air conditioning hoses are exposed to extreme temperature conditions inside the engine compartment.


Our hoses are designed to withstand a wide temperature range:

Operating Temperature Range: -40°C to +140°C

This ensures reliable performance even in harsh climates and demanding vehicle environments.

C 型空调软管 Type C Air Conditioner Hose

适合制冷剂 / Applicable refrigerant
R134a, HFO-1234yf



C 型空调软管尺寸及性能参数

Sizes and performance parameters of type C air conditioner hose

公称直径 Dimension	英寸 Inch	内径 I.D.	外径 O.D.	壁厚 Wall Thickness	壁厚差 Wall Diff	工作压力 Work Pressure	爆破值 Burst Pressure	弯曲半径 Bend Rad	渗透量 Permeability
8.2	5/16"	8.2+0.4	15.2±0.4	3.5	≤0.4	3.5	≥22	75	1.6
10.5	13/32"	10.5+0.4	17.4±0.4	3.5	≤0.4	3.5	≥23	75	1.6
11.2	7/16"	11.2+0.4	18.5±0.4	3.8	≤0.4	3.5	≥23	75	1.6
13.2	1/2"	13.2+0.4	20.8±0.4	3.8	≤0.4	3.5	≥22	85	1.6
15.2	5/8"	15.2+0.4	22.8±0.4	3.8	≤0.4	3.5	≥22	85	1.6
16.0	5/8"	16.0+0.4	23.1±0.5	4.8	≤0.4	3.5	≥22	105	1.6
19.0	3/4"	19.0+0.5	28.5±0.5	5.0	≤0.4	3.5	≥22	110	1.6
22.0	7/8"	22.0+0.5	31.5±0.5	4.8	≤0.4	3.5	≥22	110	1.6
25.0	1"	25+0.5	35.0±0.5	5.0	≤0.4	3.5	≥22	110	1.6

Superior Flexibility

The flexible rubber structure allows the hose to be easily installed in complex engine layouts.

Advantages:

1. Easy installation
2. Reduced vibration stress
3. Lower risk of fatigue cracking

High Pressure Resistance

The reinforced fiber layer provides excellent pressure resistance, enabling the hose to safely handle high-pressure refrigerant flow within the air conditioning system.



GOOD YEAR RUBBER

GALAXY R134a A/C HOSE	GALAXY R134a A/C HOSE
GALAXY R134a A/C HOSE	GALAXY R134a A/C HOSE
GALAXY R134a A/C HOSE	GALAXY R134a A/C HOSE
GALAXY R134a A/C HOSE	GALAXY R134a A/C HOSE
GALAXY R134a A/C HOSE	GALAXY R134a A/C HOSE

CODAN LINGYUN RUBBER

CODAN-LINGYUN-A/C-SAE 22084-R134a-218-15.5-LP	CODAN-LINGYUN-A/C-SAE 22084-R134a-218-15.5-LP
CODAN-LINGYUN-A/C-SAE 22084-R134a-218-15.5-LP	CODAN-LINGYUN-A/C-SAE 22084-R134a-218-15.5-LP
CODAN-LINGYUN-A/C-SAE 22084-R134a-218-15.5-LP	CODAN-LINGYUN-A/C-SAE 22084-R134a-218-15.5-LP
CODAN-LINGYUN-A/C-SAE 22084-R134a-218-15.5-LP	CODAN-LINGYUN-A/C-SAE 22084-R134a-218-15.5-LP
CODAN-LINGYUN-A/C-SAE 22084-R134a-218-15.5-LP	CODAN-LINGYUN-A/C-SAE 22084-R134a-218-15.5-LP



Wide Vehicle Coverage

We supply a wide range of automotive air conditioning hoses covering:

- European vehicles
- Japanese vehicles
- Korean vehicles
- American vehicles
- Chinese vehicles

Our catalog includes thousands of OEM reference numbers, making it easy for distributors and wholesalers to match vehicle applications.

EXHIBITION PARTICIPATION (FACTORY)



Custom Manufacturing Service

We also support OEM and customized production based on customer requirements.

Customization options include:

- OEM number development
- specific fittings and connectors
- vehicle-specific assembly designs

Our engineering team can assist in developing new products for aftermarket or OEM projects.



Ziyou Innovation Trading Co., Ltd.

+8617665683341

freedomfuture38@gmail.com

futureacparts.com

Hongyun Auto Parts City, Baiyun District, Guangzhou City, Guangdong Province, China