



GMC Opel Vectra B 2.0L 1996-2002 90569952 Car Air Conditioning Dis&Suc Hose

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Freedom Future
- Certification: ISO 9001
- Model Number: 90569952
- Minimum Order Quantity: Negotiable
- Price: Negotiable
- Packaging Details: Standard export packing, as customer demands
- Delivery Time: 7-15 working days
- Payment Terms: L/C,T/T,Western Union
- Supply Ability: 50000 Pieces per Month



Product Specification

- OEM Part Number: 90569952
- Factory Code: ZSKT-668122
- Material: Aluminum
- Color: Silver / Black
- Pressure Rating: 300 Psi
- Temperature Range: -40 C To 140 C
- Flexibility: Flexible
- Corrosion Resistance: High
- Application: Car Air Conditioning System



for more products please visit us on futureacparts.com

Product Description

90569952 Car AC Hose Pipe For Opel

Product Description:

Our automotive air conditioning pipe is mainly made of aluminum combined with a highly elastic hose, so it can be easily bent and routed in tight engine bays and integrates seamlessly with the other components of the car air conditioning system, making installation a breeze.

Each pipe is rigorously tested and screened before shipment. We select high grade rubber and synthetic materials that resist high pressure, corrosion and aging, reinforced with braided layers for excellent compression, vibration and weather resistance.

Precision welded or one-piece metal joints with high performance sealing rings ensure leak-free performance throughout the service life. Direct replacement fit, no modification required.



COMPANY PROFILE

WE SPECIALISE IN THE A/C HOSES FOR 20 YEARS.

WE ARE GOOD AT MANUFACTURING VARIOUS A/C JOINTS AND A/C PIPES ACCORDING TO DRAWINGS AND PHYSICAL SAMPLES.

120+ WORKER | 80+ MACHINE | 7000M³ FACTORY

Features:

- OE 5484339 direct replacement fit for GMC Chevrolet
- Aluminum body with highly elastic hose, easy routing in tight space
- High pressure, corrosion and aging resistant materials
- Reinforced braided layer for vibration and weather resistance
- Precision welded joints and sealing rings, leak-free performance

Technical Parameters:

OEM Part Number	90569952
Factory Code	ZSKT-668122
Type	Car AC Hose Pipe
Material	Aluminum
Color	Silver / Black
Pressure Rating	300 psi
Temperature Range	-40 to 140 Degrees Fahrenheit
Connection Type	Direct Fit
Corrosion Resistance	High
Flexibility	Flexible

TYPE C AIR CONDITIONER HOSE

APPLICABLE REFRIGERANT
R134a, HFO-1234yf

STANDARD COMPLIANCE
SAE J2064 QC/T664-2019



WORKING
TEMPERATURE RANGE
-40°C ~ +135°C



COVER
Outer Rubber Cover

REINFORCEMENT
High Tensile Braid

MIDDLE LAYER
Intermediate Rubber Layer

BARRIER
Gas Barrier Layer

FIRST LAYER
Inner Rubber Tube

SIZES AND PERFORMANCE PARAMETERS OF TYPE C AIR CONDITIONER HOSE

DIMENSION (mm)	INCH (in)	I.D. (mm)	O.D. (mm)	WALL THICKNESS (mm)	WALL DIFF (mm)	WORK PRESSURE (MPa)	BURST PRESSURE (MPa)	BEND RADIUS (mm)	PERMEABILITY (g/m ² ·24h·atm)
8.2	5/16"	8.2±0.4	15.2±0.4	3.5	≤0.4	3.5	≥22	75	1.6
10.5	13/32"	10.5±0.4	17.4±0.4	3.5	≤0.4	3.5	≥23	75	1.6
11.2	7/16"	11.2±0.4	18.5±0.4	3.8	≤0.4	3.5	≥23	75	1.6
13.2	1/2"	13.2±0.4	20.8±0.4	3.8	≤0.4	3.5	≥22	85	1.6
15.2	5/8"	15.2±0.4	22.8±0.4	3.8	≤0.4	3.5	≥22	85	1.6
16.0	5/8"	16.0±0.4	23.1±0.5	4.8	≤0.4	3.5	≥22	105	1.6
19.0	3/4"	19.0±0.5	28.5±0.5	5.0	≤0.4	3.5	≥22	110	1.6
22.0	7/8"	22.0±0.5	31.5±0.5	4.8	≤0.4	3.5	≥22	110	1.6
25.0	1"	25±0.5	35.0±0.5	5.0	≤0.4	3.5	≥22	110	1.6

High Pressure Resistance

The reinforced fiber layer provides excellent pressure resistance, enabling the hose to safely handle high-pressure refrigerant flow within the air conditioning system.

Benefits include:

- Improved safety
- Reduced risk of leakage
- Stable long-term operation

Why Choose Us

- ✓ Extensive experience in automotive A/C components
- ✓ OEM-quality manufacturing standards
- ✓ Wide product coverage for global vehicles
- ✓ Stable supply for distributors and wholesalers
- ✓ Professional export service and technical support

We are committed to providing reliable automotive air conditioning hose solutions for customers worldwide.

Packaging & Shipping

Standard export packing with shock-proof protection, customized packaging available on request. Fast delivery by sea, air or express; stock items ship within 7-15 working days.

SAFE PACKAGING

Each Air Conditioning Discharge Hose is individually wrapped and securely packed to ensure safe delivery.



- ✓ Prevent Scratches
- ✓ Prevent Damage
- ✓ Ensure Safe Delivery



Individual Protective Bag



Bulk Packed in Strong Carton



Ready for Shipping

Service & Support

Our technical team supports installation guidance, maintenance advice, product testing and OEM/ODM customization. Contact us today for a quotation and sample request.



Ziyou Innovation Trading Co., Ltd.



+8617665683341



freedomfuture38@gmail.com



futureacparts.com

Hongyun Auto Parts City, Baiyun District, Guangzhou City, Guangdong Province, China