OEM 95376436 Twin Dis&Suc Air Conditioning Pipes For Opel Mokka/GMC Encore 1.4T 2011-2013

Our Product Introduction

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: Freedom Future
- Certification: ISO 9001:2015
- Model Number: ZSKT-777959
- Minimum Order Quantity: 20 Pieces
- Price: USD 8-25 / Piece
- Packaging Details: Freedom Future branded color box with shock-proof foam insert, export-grade corrugated carton
- Delivery Time: 3 working days for stock, 15-25 days for production
- Payment Terms: T/T,L/C,PayPal,Western Union
- Supply Ability: 50000 Pieces per Month



Product Specification

- Oem Part Number: 95376436
- Hose Type: AC Suction Hose
- Material: Aluminum
- Pressure Rating: Up To 300 Psi
- Temperature Range: -40°C To 140°C
- Refrigerant: R134a
- Color: Silver
- Flexibility: Flexible
- Resistance: Corrosion Resistant
- Installation: Easy
- Durability: High
- Highlight: **OEM AC pipes Opel Mokka**, **Twin AC pipes GMC Encore**, **1.4T AC pipes 2011-2013**



for more products please visit us on futureacparts.com

Our Product Introduction

for more products please visit us on futureacparts.com

Product Description

High-performance **Automotive Air Conditioning Pipe Assembly (OEM: 95376436)** designed for **GMC Encore** models. Engineered to ensure smooth refrigerant circulation, optimal cooling pressure, and long-term leak-proof reliability under demanding climate conditions. Precision-built with high-grade aluminum alloy connectors and multi-layer reinforced rubber hose, making it an ideal OEM replacement for auto parts wholesalers, importers, and service workshops worldwide.




Technical Specifications

Parameter / Feature	Detail / Specification
OEM Reference Number	**95376436/42690356**
Product Name	Air Conditioning Hose Assembly / Auto A/C Pipe Line
Vehicle Compatibility	**Opel Mokka/GM Encore**
Circuit Function	A/C Refrigerant Line Assembly
Material Composition	CNC Machined High-Grade Aluminum Alloy + Multi-Layer EPDM Hose
Refrigerant Compatibility	Fully Compatible with R134a Refrigerant & PAG Synthetic Lubricants
Quality Standard	ISO 9001 Certified Manufacturing
Condition	100% Brand New, Precision Direct Replacement



Key Features & Benefits

- **Leak-Proof High-Pressure Seal:** Built with high-strength crimp sleeves and precision aluminum blocks to guarantee zero refrigerant leakage under high operating pressures.
- **Superior Heat & Vibration Resistance:** Advanced multi-layer barrier rubber resists thermal degradation, micro-cracking, ozone aging, and engine vibration.
- **Rigorous Quality Assurance:** 100% factory pressure tested and helium leak-checked before shipment to meet strict OEM performance standards.



SIZES AND PERFORMANCE PARAMETERS OF TYPE C AIR CONDITIONER HOSE

DIMENSION (mm)	INCH (in)	I.D. (mm)	O.D. (mm)	WALL THICKNESS (mm)	WALL DIFF (mm)	WORK PRESSURE (MPa)	BURST PRESSURE (MPa)	BEND RADIUS (mm)	PERMEABILITY ($g/m^2 \cdot 24h \cdot atm$)
8.2	5/16"	8.2±0.4	15.2±0.4	3.5	≤0.4	3.5	≥22	75	1.6
10.5	13/32"	10.5±0.4	17.4±0.4	3.5	≤0.4	3.5	≥23	75	1.6
11.2	7/16"	11.2±0.4	18.5±0.4	3.8	≤0.4	3.5	≥23	75	1.6
13.2	1/2"	13.2±0.4	20.8±0.4	3.8	≤0.4	3.5	≥22	85	1.6
15.2	5/8"	15.2±0.4	22.8±0.4	3.8	≤0.4	3.5	≥22	85	1.6
16.0	5/8"	16.0±0.4	23.1±0.5	4.8	≤0.4	3.5	≥22	105	1.6
19.0	3/4"	19.0±0.5	28.5±0.5	5.0	≤0.4	3.5	≥22	110	1.6
22.0	7/8"	22.0±0.5	31.5±0.5	4.8	≤0.4	3.5	≥22	110	1.6
25.0	1"	25±0.5	35.0±0.5	5.0	≤0.4	3.5	≥22	110	1.6

Ziyou Innovation Trading Co., Ltd.

+8617665683341 freedomfuture38@gmail.com futureacparts.com

Hongyun Auto Parts City, Baiyun District, Guangzhou City, Guangdong Province, China