



Discharge A/C pipeline Volkswagen 1K0820741F Fit For Golf Jetta Octavia 2004-2015

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Freedom Future
- Model Number: 100397
- Minimum Order Quantity: Negotiable
- Price: Negotiable
- Packaging Details: standard packing, as customer demands
- Delivery Time: 7 - 15 working Days
- Payment Terms: L/C,T/T,etc.



Product Specification

- Pressure Rating: 300 Psi
- Temperature Range: -40°C To 140°C
- Material: Aluminum
- OEM Part Number: 1K0820741F
- Construction Layers: Multi-layer Reinforced
- Resistance: Corrosion Resistant
- Fitment Type: Direct Replacement
- Compatible Makes: VW
- Highlight: Volkswagen AC discharge pipe,
Golf Jetta Octavia AC pipe,
1K0820741F AC pipeline



for more products please visit us on futureacparts.com

Product Description

1K0820741F Aluminium Tube for 2004-2015 Volkswagen Golf Jetta


High-Performance A/C Hoses for Global Aftermarket & OEM Supply

Automotive air conditioning hoses play a critical role in transferring refrigerant within the vehicle air conditioning system. They connect key components such as the compressor, condenser, evaporator, and expansion valve to ensure efficient cooling performance.

Our automotive A/C hoses are manufactured using advanced multi-layer barrier technology, offering excellent resistance to high pressure, high temperature, and refrigerant permeation. Designed for durability and reliability, they are widely used in passenger vehicles, SUVs, light trucks, and commercial vehicles worldwide.

C 型空调软管 Type C Air Conditioner Hose

适合制冷剂 / Applicable refrigerant
R134a, HFO-1234yf



C 型空调软管尺寸及性能参数

Sizes and performance parameters of type C air conditioner hose

公称直径 Dimension	英寸 Inch	内径 I.D.	外径 O.D.	壁厚 Wall Thickness	壁厚差 Wall Diff	工作压力 Work Pressure	爆破值 Burst Pressure	弯曲半径 Bend Rad	渗透量 Permeability
8.2	5/16"	8.2±0.4	15.2±0.4	3.5	≤0.4	3.5	≥22	75	1.6
10.5	13/32"	10.5±0.4	17.4±0.4	3.5	≤0.4	3.5	≥23	75	1.6
11.2	7/16"	11.2±0.4	18.5±0.4	3.8	≤0.4	3.5	≥23	75	1.6
13.2	1/2"	13.2±0.4	20.8±0.4	3.8	≤0.4	3.5	≥22	85	1.6
15.2	5/8"	15.2±0.4	22.8±0.4	3.8	≤0.4	3.5	≥22	85	1.6
16.0	5/8"	16.0±0.4	23.1±0.5	4.8	≤0.4	3.5	≥22	105	1.6
19.0	3/4"	19.0±0.5	28.5±0.5	5.0	≤0.4	3.5	≥22	110	1.6
22.0	7/8"	22.0±0.5	31.5±0.5	4.8	≤0.4	3.5	≥22	110	1.6
25.0	1"	25±0.5	35.0±0.5	5.0	≤0.4	3.5	≥22	110	1.6

Superior Flexibility

The flexible rubber structure allows the hose to be easily installed in complex engine layouts.

Advantages:

1. Easy installation
2. Reduced vibration stress
3. Lower risk of fatigue cracking



GOOD YEAR RUBBER

GM GALAXY R134a A/C HOSE SAE J2064	GM GALAXY R134a A/C HOSE SAE J2064
GM GALAXY R134a A/C HOSE SAE J2064	GM GALAXY R134a A/C HOSE SAE J2064
GM GALAXY R134a A/C HOSE SAE J2064	GM GALAXY R134a A/C HOSE SAE J2064
GM GALAXY R134a A/C HOSE SAE J2064	GM GALAXY R134a A/C HOSE SAE J2064

CODAN LINGYUN RUBBER

GM GALAXY R134a A/C HOSE SAE J2064	GM GALAXY R134a A/C HOSE SAE J2064
GM GALAXY R134a A/C HOSE SAE J2064	GM GALAXY R134a A/C HOSE SAE J2064
GM GALAXY R134a A/C HOSE SAE J2064	GM GALAXY R134a A/C HOSE SAE J2064
GM GALAXY R134a A/C HOSE SAE J2064	GM GALAXY R134a A/C HOSE SAE J2064

Quality Control

To ensure consistent product quality and reliability, every hose undergoes strict testing procedures:

- pressure resistance testing
- material inspection
- dimensional accuracy inspection
- 100% leak testing

Our manufacturing process follows international automotive quality standards to ensure reliable performance for global customers.

EXHIBITION PARTICIPATION (FACTORY)



Why Choose Us

- ✓ Extensive experience in automotive A/C components.
- ✓ OEM-quality manufacturing standards.
- ✓ Wide product coverage for global vehicles.
- ✓ Stable supply for distributors and wholesalers.
- ✓ Professional export service and technical support.



Ziyou Innovation Trading Co., Ltd.

+8617665683341

freedomfuture38@gmail.com

futureacparts.com

Hongyun Auto Parts City, Baiyun District, Guangzhou City, Guangdong Province, China